

Client: Prime Peptide Solutions

Certified: 05/29/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

**SAMPLE INFORMATION**

<b>Product</b>	Klow	<b>Form</b>	Lyophilized powder
<b>Batch</b>	BATCH-0502	<b>Labeled Qty</b>	80 mg
<b>Cap Color</b>	BLUE	<b>Crimp Color</b>	BLACK

**TEST RESULTS**

	REFERENCE STANDARD	RESULT
<b>Blend Avg Purity</b>	(>98%)	99.849% <input checked="" type="checkbox"/>
<b>Blend Avg Net Content</b>	(~80mg)	87.24 mg <input checked="" type="checkbox"/>
<b>Blend Identification (LC-MS)</b>	(Klow)	Klow <input checked="" type="checkbox"/>

**BLEND COMPONENT ANALYSIS**

Component	Labeled	Measured
GHK-Cu	50 mg	55.38 mg
KPV	10 mg	9.97 mg
BPC-157	10 mg	10.84 mg
TB-500	10 mg	11.04 mg

**CHROMATOGRAM**

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm

